


# BLIOGRAPHY OF INDIAN FISHERIES



Vol. II, No. 2  
June, 1972



CENTRAL INLAND FISHERIES RESEARCH INSTITUTE  
( Indian Council of Agricultural Research )  
BARRACKPORE, WEST BENGAL  
INDIA





BIBLIOGRAPHY OF INDIAN FISHERIES

(World-List Abbreviation: Biblphy Indian Fish.)

Volume 11, No. 2

June, 1972

---

Compiled

by

B.N. Saigal

Amitabha Ghosh

P.K. Chakrabarti

A.K. Dutta

Anjali Ghosh (Miss)

---

CONTENTS

		<u>Page</u>
I. Entries	....	13 - 35
II. Author Index	....	A 3 - A 5
III. Subject Index	....	S 2 - S 3
IV. Taxonomic Index	....	T 4 - T 11
V. Serial Index	....	P 2

\*\*\*\*\*



I. ENTRIES

41. Annigeri, G.G. 1968  
 (Central Marine Fisheries Research Institute;  
 Sub-station, Karwar).  
 Hydrology of the inshore waters of Karwar Bay  
 during 1964-1966. Indian J. Fish., 15(1 & 2):  
 155-165.

Gives an account of the seasonal distribution of  
 temperature, salinity, O<sub>2</sub>, phosphates, nitrates & silicates  
 in inshore waters of Karwar Bay surface waters. 14 ref.

42. Anon 1972  
 News and notes. Seafd. Export J., 4(2):31-32.

Contains - Textile fishing products, India leads  
 to shrimp production, India leads in shrimp supplies to  
 Japan etc.

43. \_\_\_\_\_ 1972  
 News and Notes. Ibid, 4(3):31-33.

Notes on : College education for fishermen, keeping  
 fish fresh etc.

44. \_\_\_\_\_ 1972  
 Statistics. Ibid, 4(2):34-37.

Presents a table showing the pattern of marine  
 products exports from India during 1963-1971 and item-wise  
 exports of marine products in the years 1968-1971.

45. Antony Raja, B.T. 1967  
 (Central Marine Fisheries Research Institute;  
 Substation, Karwar).  
 Length-weight relationship in the oil-sardine,  
Sardinella longiceps val. Indian J. Fish.  
14( 1 & 2): 159-170.



Reports the significant differences in the length-weight relationships among the fishes during different season, maturity group & sexes based on the analyses of catches of S. longiceps during the years 1959-64. 6 ref.

46. Balakrishnan, V. & K.V. Narayana Rao 1967  
 (1 Central Marine Fisheries Research Institute; Substation, Kozhikode-5. 2 Pelagic Fisheries Investigation (UNDP), C/o Indo-Norwegian Project, Cochin-16).  
 Some post larval and juvenile stages of the Indian mackerel, Rastrelliger kanagurta (cuvier) with notes on the changes in body form. Ibid, 14( 1 & 2): 97-114.

Describes some early stages of R. kanagurta, ranged between 8.7-53.7 mm in length. Also gives an account of the changes in the body form from early post-larval to juvenile stage. 20 ref.

47. Banerjea, S.M. 1967  
 ( Soil chemistry unit, Central Inland Fisheries Research Institute, 47/1, Strand Road, Calcutta-7).  
 Water quality and soil condition of fish ponds in some states of India in relation to fish production. Ibid, 14(1 & 2):115-144.

Gives an account of the physico-chemical characters of ponds of different states of India, viz, West Bengal, Assam, Manipur, Orissa, Madhya Pradesh, Andhra Pradesh etc., in relation to fish production. 39 ref.

48. Bennet, P. Sam 1967  
 (Central Marine Fisheries Research Institute; Substation, Tuticorin).  
 Some observations on the fishery and biology of Sardinella fimbriata (val.) at Vizhingam. Ibid, 14( 1 & 2): 145-158.

Gives an account of the distribution, food & feeding habits, maturity and spawning and catch statistics of S. fimbriata. 13 ref.

49. Bensam, P. 1967  
(Central Marine Fisheries Research Institute, Mandapam camp).  
On a few post-larval stages of Anodontostoma chacunda Hamilton. Ibid, 14(1 & 2):48-53.

Deals with the early life history of A. chacunda. Five post-larval stages of the fish collected from south-west coast of India have been described. 11 ref.

50. Bhanot, K.K. 1971  
(Central Inland Fisheries Research Institute, Barrackpore).  
Observations on the availability of brackishwater fish seed in the Matlah-estuary around Port Canning. J. mar. biol. Ass. India, 13(1 & 2): 274-278.

The author concludes from his observations that Matlah-estuary is very much rich in fish seed during December - March. Relationship of the hydrological conditions with the seed abundance has been discussed. 2 ref.

51. Bhatt, V.S. 1968  
(National Institute of Oceanography (CSIR) Miramar, Panaji (Goa) ).  
Studies on the biology of some freshwater fishes part VII. Heteropneustes fossilis (Bloch). Indian J. Fish. 15( 1 & 2):99-115.

Length frequency distribution, food and feeding habit and maturity of H. fossilis have been discussed.



52. \_\_\_\_\_ 1971  
 (National Institute of Oceanography, Panaji (Goa) ).  
 Studies on the biology of some freshwater fishes  
 part V. Mystus vittatus (Bloch). J. Bombay nat.  
Hist. Soc., 68(3):556-572.

Gives an account of length frequency distribution,  
 maturation cycle, spawning periodicity, condition factors  
 and food and feeding habit of M. vittatus.

53. Chandra Mohan, P & T.S. Satyanarayana Rao 1972  
<sup>1</sup>Department of Zoology, Andhra University, Waltair.  
<sup>2</sup>Indian Ocean Biological Centre, National Institute  
 of Oceanography, Ernakulam, Cochin-18).  
 Tidal Cycle Studies in relation to zooplankton  
 distribution in the Godavari estuary. Proc. Indian  
Acad. Sci., 75(1):23-31.

Describes the relationship between the nature of  
 tide and distribution and abundance of different groups of  
 zooplankton in the mid estuarine region of river Godavari  
 during February, 1961. 6 ref.

54. Chandrasekharan Nair, K.K. & D.J. Tranter 1971  
<sup>1</sup>Indian Ocean Biological Centre, National Institute  
 of Oceanography, Cochin -18, India. <sup>2</sup>Division of  
 Fisheries & Oceanography, C.S.I.R.O., Cronulla,  
 Australia).  
 Zooplankton distribution along salinity gradient  
 in the Cochin backwater before and after the  
 monsoon. J. mar. biol. Ass. India, 13( 1 & 2):  
 203-210.

Results of the quantitative studies of zooplankton  
 along with hydrographic data from the backwaters of cochin  
 during pre- and post-monsoon months have been presented.  
 7 ref.



55. Das, B.C. 1967

(Biometry Research Unit, Indian Statistical Institute, Calcutta).

Electrophoretic determination of amylase in the post-embryonic stage of Labeo rohita (Ham.). Indian J. Fish. 14( 1 & 2 ): 306-312.

Gives an account of the amylase present in the post-embryonic stage of Labeo rohita and also the influence of exogenous yeast Saccharomyces cerevisiae on the amylase synthesis in the post-embryonic carp. 18 ref.

56. David, A.<sup>1</sup>, B.V. Govind,<sup>2</sup> N.G.S. Rao<sup>3</sup> & K.V. Rajagopal<sup>4</sup> 1967  
 (1) Tank Fisheries Unit, C.I.F.R.I., Bangalore.  
 (2) Central Inland Fisheries Research Unit, Bhavanisagar, Tamil Nadu. (3)&(4) Fisheries college, University of Agricultural Sciences, Mangalore-1 ).  
 Fish Seed resources of some rivers in South India. Ibid, 14(1 & 2): 53-84.

Describes the results of investigations on spawn prospectation in Krishna and Kauvery river systems in Mysore and Madras state during the monsoon of 1963-65. 18 ref.

57. Devaraj, M.<sup>1</sup> and V. Ranganathan<sup>2</sup> 1967

(1) Central Marine Fisheries Research Institute, Regional Centre, Mandapam camp. (2) Freshwater Biological Research Station, Bhavanisagar).

Incidence of Isoparorchis hypselobagri (Billet, 1898) (Trematoda, Hemiuridae) among the cat-fishes of Bhavanisagar reservoir. Ibid, 14(1 & 2):232-250.

Describes the presence of the trematode parasite in W. attu, Callichrous bimaculatus and M. aor. Also gives an account of the host-parasite relationship (of the helminth and its hosts). 12 ref.

58. Dhulkhed, M.H. 1968  
(Central Marine Fisheries Research Substation, Mangalore).  
Sex ratio and maturity stages of the oil sardine, Sardinella longiceps val., from the Mangalore zone.  
Ibid, 15( 1 & 2):116-126.
59. Dutt, S. 1971  
(Department of Zoology, A.U. Postgraduate Centre, Guntur-5 (A.P.) ).  
On 'Kowala thoracata cuvier and valenciennes' of Cantor (1850). J. mar. biol. Ass. India, 13( 1 & 2): 145-147.

Deals with the taxonomy of the fish K. thoracata.  
Cantor's K. thoracata is probably a synonym of S. fimbriata according to the author . 6 ref.

60. George, A.I.<sup>1</sup>, C.V. Kurian<sup>2</sup>, C.T. Samuel<sup>3</sup> & K.H. Mohamed<sup>4</sup> 1972  
(<sup>1</sup>Director of Fisheries, Kerala, Trivandrum, <sup>2</sup>Head of the Department, University Dept. of Marine Biology & Oceanography, Cochin-16. <sup>3</sup>Oceanographic Laboratory, Cochin-16. <sup>4</sup>Fishery Scientist, Cochin-1).  
Failure of shrimp fishery along the west coast.  
Seafd. Export J., 4(2):7-11.

Possible causes for this failure of shrimp fishery of the west coast are discussed.

61. George, K.C., M.G. Dayanandan & P. Karunakaran Nair 1968  
(Central Marine Fisheries Research Institute, Cochin-11).  
Food of some demersal fishes from the trawl grounds off Cochin. Indian J. Fish., 15(1&2):81-87.

The food habits of seven common species of fish from Cochin region have been described. 7 ref.



62. Gopalakrishnan, V. 1971  
 (Central Inland Fisheries Research Institute, Barrackpore).  
 The biology of the Hooghly-Matlah estuarine system (West Bengal, India) with special reference to its fisheries. J. mar. biol. Ass. India, 13( 1 & 2):182-194.

The physico-chemical and biological conditions of the Hooghly-Matlah estuarine system with special reference to its fisheries & biological potential have been discussed in this paper. 13 ref.

63. Hahn, Joseph H. 1972  
 Bright prospects for Indian seafood industry. Seafd. Export J., 4(3):p29.

The author expresses his view on the prospects of Indian seafood industry.

64. James, P.S.B.R. 1971  
 (College of Fisheries University of Agricultural Sciences, Mangalore, Mysore State).  
 On the occurrence of a blue green alga on fishes of the family Leiognathidae. J. mar. biol. Ass. India, 13(1 & 2):133-135.

Reports the occurrence of the blue-green alga chroococcaceae on the fishes of the family Leiognathidae. 6 ref.

65. John, Thomas, A 1971  
 (Madras Christian College, Tambaram, Madras-59)  
 Crab fishery of the Pulicat lake. Ibid, 13( 1 & 2):278-280.

Fishery of Scylla serrata with reference to the methods of fishing, Socio-economic factors, marketing etc. have been discussed. 8 ref.

66. Kagwade, P.V. 1967  
 (Central Marine Fisheries Research Institute;  
 Sub-station, Bombay-1).  
 Hermaphroditism in a teleost, Polynemus  
heptadactylus Cuv. and Val. Indian J. Fish.,  
14(1 & 2):187-197.

Reports the presence of hermaphrodites in P. heptadactylus, in which the sexes are separate normally. The author is of opinion that there is no sex reversal in this case as hermaphrodites appear from smallest size. The author also reports the possibility of self fertilization in this species. 28 ref.

67. Kagwade, V.N. 1967  
 (Central Marine Fisheries Research Institute,  
 Mandapam camp)  
 Food and feeding habits of the horse-mackerel,  
Caranax kalla (Cuv. & Val). Ibid, 14(1 & 2):  
 85-96.

Describes the food and feeding habit of C. kalla at different stages of the life history.

68. \_\_\_\_\_ 1968  
 (Central Marine Fisheries Research Institute,  
 Mandapam camp).  
 Maturation and spawning of the horse mackerel  
Caranax kalla (Cuv. and Val.). Ibid, 15(1 & 2):  
 207-220.

Describes the results of observations on maturation and spawning of C. kalla during the years 1958-60. 14 ref.

69. \_\_\_\_\_ 1968  
 (Central Marine Fisheries Research Institute,  
 Mandapam camp).  
 Age and growth of the horse-mackerel, Caranax  
kalla (Cuv. and Val). Ibid, 15(1 & 2):188-197.  
 6 ref.



70. Kamal, M. Yusuf 1967

(Central Inland Fisheries Research Substation, Mithapur, Patna).

Studies on the food and alimentary canal of the Indian major carps. II. Labeo rohita (Ham.) and III. Cirrhina mrigala (Ham.). Ibid, 14( 1 & 2): 24-47.

Describes the food and feeding habit of L. rohita and C. mrigala at different stages of their life. Also gives an account of the differentiation of the alimentary canal and associated parts of these two species. 19 ref.

71. Kasinathan, S. and Basu, S.L. 1972

(Dept. of Biology, Jawaharlal Institute of post graduate, Medical education and Research, Pondicherry-6, India).

Seasonal variation and exogenous hormonal effect on the interrenal glands of Rana hexadactyla Lesson. Proc. Indian Acad. Sci.(B), 75(4):191-200.

Describes the seasonal variations and effects of steroid administration on the interrenal glands in R. hexadactyla. A possible role of exogenous steroid and pituitary hormones on the interrenal has also been discussed. 25 ref.

72. Kowtal, G.V. 1967

(Chilka Investigation Unit, Central Inland Fisheries Research Institute, Balugaon, Puri ).

Occurance and distribution of pelagic fish eggs and larvae in the Chilka lake during the years 1964 and 1965. Indian J. Fish., 14( 1 & 2): 198-214. 26 ref.

73. Krishnamurthy, K. & A Purushothaman 1971  
(Centre of Advanced study in Marine Biology,  
Porto Novo, Tamil Nadu ).  
Diurnal variations in the phytoplankton  
pigments in the vellar estuary. J. mar. biol.  
Ass. India, 13(1 & 2):271-274. 12 ref.
74. Krishnamurthy, K.N. 1971  
(Central Inland Fisheries Research Institute,  
Badkhal lake, Faridabad, Haryana).  
Preliminary studies on the bottom biota of  
Pulicat lake. Ibid, 13( 1 & 2):264-269.  
  
Deals with the composition and distribution of  
bottom biota in the pulicat lake. 4 ref.
75. Lakshmanan, M.A.V.<sup>1</sup>, B.R. Bhuyan<sup>2</sup>, S. Radhakrishnan and  
N. Babu 1967  
(<sup>1</sup> Central Inland Fisheries Research Substation,  
19, Cantonment Road, Cuttack. <sup>2</sup> Central Inland  
Fisheries Regional Research Laboratory, Jorhat,  
Assam).  
Survival and growth of cultivated fishes in  
Assam ponds. Indian J. Fish. 14(1 & 2):1-23.  
  
Gives an account of the growth, survival and  
production of three Indian major carps in five different  
places in Assam. Also deals with the hydrology and  
limnology of the Assam ponds. 12 ref.
76. Lakshmanan, M.A.V., P.R. Sen, D.S. Murty & D.P. Chakraborty  
1968  
(Central Inland Fisheries Research Substation,  
19, Cantonment Road, Cuttack ).  
Preliminary study on the rearing of carp  
fingerlings. Ibid, 15(1 & 2):40-52.  
  
Describes the results of field experiments on  
the mixed fry rearing of C. catla, L. rohita, C. mrigala  
and C. carpio in six 0.08 hectare ponds for 3 months  
during 1965 and 1966. 18 ref.



77. Luther, G 1968

(Central Marine Fisheries Research Institute, Substation, Vizhingam, via Trivandrum).

Ulua mandibularis (Macleay) (Carangidae, Pisces), a new record from the Indian Seas. Ibid, 15(1 & 2):180-187.

Distinguishing characters, detailed description, changes in the body form and dentition with growth have been dealt with in the paper. 14 ref.

78. Malhotra, Y.R. 1967

(P.G. Dept. of Zoology, Jammu & Kashmir University, Srinagar).

On the relationship between feeding and Ovarian cycle in Schizothorax niger Heckel and Botia birdi Chaudhry. Ibid, 14(1 & 2):313-317

Gives an account of the relationship between stages of ovarian maturity and the rate of feeding in the fishes, viz., S. niger and B. birdi in Kashmir valley. 9 ref.

79. Mogelberg, Bent. 1972

Indian shrimp ranks best in the world.

Seafd. Export J., 4(3):15-16.

The author has given his views on the production, quality marketing and export of smaller Indian shrimps.

80. Mohamed, K.H. and M.J. George 1968

(Central Marine Fisheries Research Institute, Cochin-11).

Results of the tagging experiments on the Indian spiny lobster, Panulirus homerus (Linnaeus)-movement and growth. Indian J. Fish., 15(1 & 2): 15-26.

Described the results of tagging experiments on the Indian spiny lobster P. homarus. The higher percentage of recovery of the tagged lobsters in two successive seasons led the authors to conclude that long migratory movements of the fishery do not take place and it is highly restricted and localised in nature. 12 ref.

81. Mohamed, K.H. and P. Vedavyasa Rao 1971  
(Central Marine Fisheries Research Institute, Cochin).  
Estuarine phase in the life-history of the Commercial prawns of the west coast of India.  
J. mar. biol. Ass. India, 13(1 & 2):149-161.

Estuarine phase of commercially important species of prawns have been described. Prospects of utilization of the estuarine areas for culturing different species of prawns and associated problems are discussed. 39 ref.

82. Moore, N.W. 1971  
(The nature conservancy, Monks wood Experimental Station, Abbots Ripton, Huntingdon, U.K.).  
Marine pollution by pesticides and polychlorinated biphenyls. Ibid, 13( 1 & 2):61-65.

Recent studies on the ecological significance of the pollution by polychlorinated biphenyls in marine as well as freshwater have been discussed. 11 ref.

83. Moorjani, M.N. & M. Vasantha 1972  
(Central Food Technological Research Institute, Mysore - 2A ),  
Hot smoking of oil-sardines and mackerels.  
Seafd. Export J., 4(3):25-27.

Describes a combined process of salting, boiling and smoking of oil-sardines and mackerels and the quality aspects of the product. 3 ref.



84. Mukundan, C. 1967  
 (Central Marine Fisheries Research Institute,  
 Cochin-11).  
 Plankton of Calicut inshore waters and its  
 relationship with Coastal pelagic fisheries.  
Indian J. Fish., 14(1 & 2):271-292.

Describes the fluctuations in the total volume  
 of plankton and the abundance of zooplankton in the in-  
 shore area off Calicut in relation to hydrological condi-  
 tions. A relation of this to the pelagic fisheries of  
 this area has also been discussed. 26 ref.

85. Mukundan, M. 1972  
 (Central Institute of Fisheries Operatives,  
 Cochin-16).  
 Polyethylene twines for fishing nets. Seafd.  
Export J., 4(3):17-19.

Describes the usefulness of polyethylene twines  
 for making fishing gears.

86. Muthu, M.S. 1968  
 (Central Marine Fisheries Research Institute,  
 Substation, Madras-8).  
 On some new records of penaeid prawns from the  
 east coast of India. Indian J. Fish., 15(1 & 2):  
 145-154.

Describes some species of penaeid prawns,  
 recorded for the first time from the east coast of India.

87. Muthu, M.S.<sup>1</sup> & M.J. George<sup>2</sup> 1971  
 (<sup>1</sup>Central Marine Fisheries Research Station,  
 Madras. <sup>2</sup>Indian Ocean Biological Centre,  
 Post Box 1913, Cochin-18).  
Solenocera indica Nataraj, One of the commercia-  
 lly important penaeid prawns of Indian waters  
 as a synonym of Solenocera crassicornis (H.  
 Milne Edwards). J. mar. biol. Ass. India,  
13(1 & 2):142-144. 11 ref.

88. Nath, Dharmendra 1972

(Department of Parasitology, U.P. College of Veterinary Science and Animal Husbandry, Mathura, Uttar Pradesh).

Occurrence of metacercarial cysts of Haplorchoides attenuatum (Srivastava, 1935) in a freshwater fish. Seafd. Export J., 4(2):29-30.

The author describes the presence of metacercarial cysts below the body scale of Puntius sophore collected from Gorakhpur (U.P.).

89. Parameswaran Pillai, P. 1971

(Central Marine Fisheries Research Institute, Cochin).

On the post-naupliar development of the calanoid copepod Labidocera pectinata Thomson and Scott (1903). J. mar. biol. Ass. India, 13(1 & 2): 66-77.

Describes the developmental stages of the copepod. 8 ref.

90. \_\_\_\_\_ 1971

(Central Marine Fisheries Research Institute, Cochin).

Studies on the estuarine copepods of India. Ibid, 13( 1 & 2):162-172.

Distribution and seasonal abundance of the backwater copepods, especially the calanoids, of Cochin waters have been dealtwith. 30 ref.

91. Patnaik, S. 1971

(Central Inland Fisheries Research Substation, Cuttack, India).

Seasonal abundance and distribution of bottom fauna of the Chilka lake. Ibid, 13( 1 & 2): 106-125.



Describes the seasonal variations in the abundance of bottom fauna of the Chilka lake during the period, April 1973 to March 1964, with reference to hydrological conditions, nature of the bottom, transparency and vegetation of the lake. 18 ref.

92. \_\_\_\_\_ 1972  
 (Central Inland Fisheries Research Substation, Cuttack, India).  
 Observations on the control of Pistia stratiotes Linn. in fish ponds by "Gramoxone". Proc. Indian Acad. Sci.(B), 75(1):15-22.

Gives an account of the "Gramoxone" treatment for controlling the weed P. stratiotes. The cost of clearance of the weeds by "gramoxone" treatment and management procedure after the treatment have also been discussed. 19 ref.

93. Perumal, M.C., V. Narayana Pillai & V.S. Ramachandran 1972  
 (Central Institute of Fisheries Operatives, Cochin-16).  
 Some trends observed in the prawn catches of the vessel 'Blue Fin' during the period January to December 1971. Seafd. Export J., 4(3):9-14.

Gives an account of the trends of prawn fishery as observed in the catches of the vessel 'Blue Fin' during its operation from January to December 1971, using various types of trawl nets, catch composition of different varieties of prawns is also given.

94. Pillai, V. Kunjukrishna 1968  
 (Central Marine Fisheries Research Institute, Cochin-11).  
 Seasonal cycle of pelagic copepods from the fishing grounds off Bombay. Indian J. Fish., 15( 1 & 2 ):198-205.

Seasonal cycle, relative abundance and influence of surface temperature and salinity on the seasonal abundance of the copepods of Bombay water have been described. 9 ref.

95. Pillai, V. Narayana 1972  
(Central Institute of Fisheries Operatives, Cochin-16).  
Exploitation of marine fisheries resources in Indian waters. Seafd. Export J., 4(3):21-23.

Discusses the present status of marine fisheries exploitation in India. The author has suggested some points for bringing out improvement in the exploitation of the marine fishery.

96. Prabhakara Rao, A.V. 1971  
(Central Inland Fisheries Research Institute, Bhadra Reservoir Project, Shimoga Dist., Mysore State).  
Observations on the larval ingress of the milkfish, Chanos chanos (Forsk.) into the Pulicat lake. J. mar. biol. Ass. India, 13(1 & 2):249-257.

Seasonal abundance of the larvae of C. chanos in the Pulicat lake has been described with reference to lunar phase, the tide etc during the years 1966-1968. 12 ref.

97. Prabhu, M.S.<sup>1</sup>, S. Ramamurty<sup>2</sup>, M.D.K. Kuthalingam<sup>3</sup> and M.H. Dhulkhed<sup>4</sup> 1967

(<sup>1</sup>National Institute of Oceanography, Panaji, Goa. 2 & 4 Central Marine Fisheries Research Substation, Mangalore. <sup>3</sup>Central Marine Fisheries Research Substation, Vizhingam, via Trivandrum). On the experimental fishing off Ullal (Mangalore). Indian J. Fish., 14(1 & 2):225-231.

Presents the results of experimental fishing undertaken at 12 - 25 m off Ullal by trawl and gill nets. Discusses the catch statistics in relation to temperature & salinity variations. Some observations on biological aspects of important species are also given. 5 ref.

98. Prakash Ravi and Sureshwar Sharma 1972  
(Department of Zoology, Holkar Science College, Indore ).  
Note on some interesting features observed in the testes of Ompok bimaculatus (Bloch). Sci. & Cult., 38(1):30-31.  
  
Describes some peculiar features of the testes of O. bimaculatus. 6 ref.
99. Qureshi, T.A. & N.A. Qureshi  
Systematic position and description of teleostean fishes of Madhya Pradesh.  
(Section of Ichthyology and Fisheries, Dept. of Zoology, Saifia College, Bhopal. pp 83.
100. Raja K.C.M. 1970  
(Central Food Technological Research Institute, Mysore).  
Pond fishes parasites. Sci. Reprtr., 8(6): 266-266.  
  
Describes some common parasites of pond waters and some simple treatments for destroying these parasites. 3 ref.
101. Rajyalakshmi, T., T.S. Ramaraju and D. Ramakrishna Rao 1968  
(Central Inland Fisheries Research Institute, Krishna Godavari Unit, Rajahmundry).  
On the marking of freshwater prawn, Macrobrachium malcolmsonii in river Godavari. Indian J. Fish, 15(1 & 2):61-67.



Describes the results of marking experiments with the use of a biological stain, frypan blue, in M. malcolmsonii of Godavari river. 14 ref.

102. Ramamirtham, C.P. 1968

(Central Marine Fisheries Research Institute, Cochin-11).

Vertical salinity of temperature, salinity and dissolved oxygen in the Maldivian region of the Indian Ocean. Ibid, 15(1 & 2):27-39.

Describes the hydrographical features of the region from 1°S to 8°N between the meridians of 71°E and 80°E during September - October 1962. 7 ref.

103. Raman, K. 1968

(Central Inland Fisheries Research Substation, Cuttack, Orissa).

On an experiment in prawn-cum-Tilapia culture in paddy field. Ibid, 15(1 & 2):175-179.

The results obtained in an experiment on prawn-cum-Tilapia culture in a farm in Kerala have been reported in this paper. The author is of opinion that Tilapia may serve as a secondary crop from prawn fishing fields. 10 ref.

104. Ramaraju, T.S. 1971

(Central Inland Fisheries Research Institute, Krishna Godavari Unit, Rajahmundry).

On the 'Benduvala', a special gear for catching the major carp Labeo fambriatus (Bloch) in river Godavari, with observations on Benduvala fishery at Dumagudem. Proc. Indian Acad. Sci. (B), 74(6):277-283.

The author describes his observations on a special type of gear, locally called "Benduvala", which is a drag-cum-gill net. A short description of the net and its operational techniques have also been described in this paper. The adverse effects of fishing with such nets have also been discussed. 9 ref.

105. Rama Sarma, D.V. & P.N. Ganapati 1971  
(Dept. of Zoology, Andhra University, Waltair).  
Hydrography of the Coringa river of the  
Gautami-Godavari estuarine system. J. mar.  
biol. Ass. India, 13( 1 & 2):234-248. 19 ref.
106. Rao, A.V. Prabhakara 1967  
(Central Inland Fisheries Research Institute,  
19-A, Patel Road, Madras-11).  
Some observations on the biology of Penaeus  
indicus H. Milne-Edwards and Penaeus monodon  
Fabricius from the Chilka lake. Indian J. Fish.,  
14(1 & 2):251-270.  
  
Gives an account of the length-weight relation-  
ship, food and feeding habit, sex-ratio, moulting, breeding  
and migration of P. indicus & P. monodon in the Chilka lake  
during May - December, 1963. 27 ref.
107. Rao, K. Srinivasa 1968  
(Department of Zoology, Andhra University,  
Visakhapatnam-3).  
Studies on the scales of Pseudosciaena  
diacanthus (Lacepede) for estimating growth  
parameters. Ibid, 15( 1 & 2):127-144.  
  
Describes the process of age determination from  
scale reading in P. diacanthus. The time of ring formation  
in the scale was found to be annual. The author states  
that the logistic curve was found to describe the growth  
of "ghol" most adequately. 20 ref.
108. Rao, K. Venkata Subba 1968  
(Central Marine Fisheries Research Institute,  
Substation, Visakhapatnam-3).  
Estimate of mortality and yield per recruit of  
"Ghol" Pseudosciaena diacanthus (Lacepede).  
Ibid, 15(1 & 2):88-98. 8 ref.

109. Rao, K. Virabhadra & K. Dorairaj 1968  
(Central Marine Fisheries Research Institute,  
Regional centre, Mandapam Camp ).  
Exploratory trawling off Goa by the Government  
of India fishing vessels. Ibid, 15(1 & 2):1-14.

The fish catch statistics of the vessels M.T. Kalyani IV and M.T. Kalyani V during November-December, 1967 and March-April, 1968 have been analysed and the depth-wise distribution of different species along with an estimated potential yield by employing "Sweep method" have been presented in this paper. 11 ref.

110. Rao, T. Appa 1967  
(Central Marine Fisheries Research Institute  
Substation, Visakhapatnam-3).  
Fat and water contents of the muscle and ovary  
during the maturation cycle of Pseudosciaena  
aneus (Bloch) and Johnius carutta (Bloch).  
Ibid, 14( 1 & 2):293-297

Gives an account of the quantitative distribution of fat and water in flesh and ovaries in different stages of maturity of P. aneus and J. carutta. 18 ref.

111. Rao, V, Ramamohana 1967  
(Central Marine Fisheries Research Institute,  
Substation, Visakhapatnam-3).  
Spawning behaviour and fecundity of the Indian  
mackerel Rastrelliger kanaqurta (cuvier), at  
Mangalore. Ibid, 14(1 & 2):171-186.

Gives an account of the maturity stages, fecundity and spawning behaviour of R. kanaqurta. 21 ref.

112. Rao, Visweswara, V. & H.S. Sharma 1972  
(Central Regional Station, Zoological Survey of  
India, Jabalpur, Madhya Pradesh).  
A note on the preorbital spine in Danio species.  
Curr. Sci., 41(6):229-230. 3 ref.



113. Ravindranatha Menon, N., P. Venugopal & S.C. Goswami 1971  
 (Indian Ocean Biological Centre, National  
 Institute of Oceanography, Cochin-16, Kerala).  
 Total biomass and faunistic composition of the  
 zooplankton in the Cochin backwater. J. mar.  
biol. Ass. India, 13(1 & 2):220-225

The results obtained on the biomass and  
 composition of zooplankton from fortnightly collections  
 during the period January to December 1968 are presented.  
 5 ref.

114. Sekharan, K.V. 1968  
 (Department of Fisheries, University of Calicut,  
 Calicut).  
 Growth rates of the Sardines, Sardinella albella  
 (val) and S. gibbosa (Bleek.), in the Mandapam  
 area. Indian J. Fish., 15(1 & 2):68-80. 22 ref.

115. \_\_\_\_\_ 1968  
 (Department of Fisheries, University of Calicut,  
 Calicut).  
 Length-weight relationship in Sardinella albella  
 (val.) and S. gibbosa (Bleek). Ibid., 15(1 & 2):  
 166-174. 12 ref.

116. Shetty, H.P.C., J.C. Malhotra, K.K. Ghosh, A.N. Ghosh,  
 H.A. Khan, A.G. Jhingran, D.V. Pahwa, K.P. Srivastava,  
 K.V. Rao, N.G.S. Rao, M. Yusuf Kamal, A.G. Godbole,  
 S.D. Gupta, P.L.N. Rao, T.D. Nangpal and R.K. Saxena 1971  
 (Central Inland Fisheries Research Institute,  
 Indian Council of Agricultural Research,  
 Barrackpore, 24-Parganas, West Bengal, India).  
 Report on fish spawn prospecting investigations,  
 1967. Andhra Pradesh, Madras, Bihar, Uttar  
 Pradesh & Rajasthan. Bull. cent. Inl. Fish.  
Res. Inst., Barrackpore, (15):60 p

Results of spawn prospecting investigations, during the south-west monsoon months in the rivers Yamuna & Gomti in U.P., Banas in Rajasthan, Mahananda in Bihar, Godavari in Andhra Pradesh & Cauvery in Madras have been described.

117. Shirgur, G.A. & H.G. Kewalramani 1967  
(Taraporevala Marine Biological Research Station, Bombay-2 ).

Studies on eradication of predatory aquatic insects from fish nurseries. Indian J. Fish., 14( 1 & 2 ):215-224.

Comparative effectiveness of different vegetable and petroleum oils on predatory aquatic insects and fish-fries in the nurseries have been described. 13 ref.

118. Sivadas, T.K. 1972

Electronic equipments for safety and efficiency in trawl fishing. Seafd. Export J., 4(2): 13-17.

Deals with the description of some of the safety instruments required in trawlers for control of gear for efficient operation.

119. Subrahmanyam, M.<sup>1</sup> & Ganapati, P.N.<sup>2</sup> 1971

(<sup>1</sup>Central Inland Fisheries Research Institute, Barrackpore. <sup>2</sup>Department of Zoology, Andhra University, Waltair).

Observations on post-larval prawns from the Godavari estuarine systems with a note on their role in capture and culture fisheries. J. mar. biol. Ass. India, 13(1 & 2):195-202.

Post larval terms of Penaeus monodon and Metapenaeus monoceros in the Godavari estuarine system have been described in detail with a note on their morphological features for distinguishing them from other post-larval penaeids. 14 ref.

120. Tampi, P.R.S.<sup>1</sup>, P.T. Moenakshisundaram,<sup>2</sup> S. Basheeruddin<sup>3</sup>  
& J.C. Gnanamutta<sup>4</sup> 1968

(<sup>1</sup>Scientist (Fishery Science), Indian Council of Agricultural Research, New Delhi. <sup>2,3 & 4</sup> Central Marine Fisheries Research Institute, Substation, Madras-8).

Spawning periodicity of the ribbon fish, Trichiurus lepturus (F.), with a note on its rate of growth. Indian J. Fish., 15(1 & 2): 53-60.

Describes the spawning periodicity and growth of the fish T. lepturus. The authors report that the fish spawns twice in a year along the Madras coast.  
13 ref.





II. AUTHOR INDEX

Every author's name appearing in the original article is listed alphabetically, including corporate bodies (societies, organisations etc.), whether occurring as single or multiple words. (Reference is given to the serial no. of the entry).

Annigeri, G.G.	...	41
Anon	...	42, 43 & 44
Antony Raja, B.T.	...	45
Babu, N.	...	75
Balakrishnan, V.	...	46
Banerjea, S.M.	...	47
Basheeruddin, S.	...	120
Basu, S.L.	...	71
Bennet, P. Sam.	...	48
Bensam, P.	...	49
Bhanot, K.K.	...	50
Bhatt, V.S.	...	51 & 52
Bhuyan, B.R.	...	75
Chakraborty, D.P.	...	76
Chandra Mohan, P.	...	53
Chandrasekharan Nair, K.K.	...	54
Das, B.C.	...	55
David, A.	...	56
Dayanandan, M.G.	...	61
Devaraj, M.	...	57
Dhulkhed, M.H.	...	58 & 97
Dorairaj, K.	...	109
Dutt, S.	...	59
Ganapati, P.N.	...	105 & 119
George, A.I.	...	60
George, K.C.	...	61
George, M.J.	...	80 & 87
Ghosh, A.N.	...	116
Ghosh, K.K.	...	116
Gnanamuthu, J.C.	...	120
Godbale, A.G.	...	116
Gopalakrishnan, V.	...	62
Gaswami, S.C.	...	113
Govind, B.V.	...	56
Gupta, S.D.	...	116
Hahn, J.H.	...	63

James, P.S.B.R.	...	64
Jhingran, A.G.	...	116
John, T.A.	...	65
Kagwade, P.V.	...	66
Kagwade, V.N.	...	67, 68 & 69
Kamal, M.Y.	...	70 & 116
Karunakaran Nair, P.	...	61
Kasinathan, S.	...	71
Kebalramani, H.G.	...	117
Khan, H.A.	...	116
Kowtal, G.V.	...	72
Krishnamurthy, K.	...	73
Krishnamurthy, K.N.	...	74
Kurian, C.V.	...	60
Kuthalingam, M.D.K.	...	97
Lakshmanan, M.A.V.	...	75 & 76
Luther, G.	...	77
Malhotra, J.C.	...	116
Malhotra, Y.R.	...	78
Meenakshisundaram, P.T.	...	120
Mogelberg, B.	...	79
Mohamed, K.H.	...	60, 80 & 81
Moore, N.W.	...	82
Moorjani, M.N.	...	83
Mukundan, C.	...	84
Mukundan, M.	...	85
Murty, D.S.	...	76
Muthu, M.S.	...	86 & 87
Nangpal, T.D.	...	116
Narayana Pillai, V.	...	93
Narayana Rao, K.V.	...	46
Nath, D.	...	88
Pahwa, D.V.	...	116
Parameswaran Pillai, P.	...	89 & 90
Patnaik, S.	...	91 & 92
Perumal, M.C.	...	93
Pillai, V.K.	...	94
Pillai, V.N.	...	95
Prabhakara Rao, A.V.	...	96
Prabhu, M.S.	...	97
Prakash, R.	...	98
Purushothaman, A.	...	73



Qureshi, N.A.	...	99
Qureshi, T.A.	...	99
Radhakrishnan, S.	...	75
Raja, K.C.M.	...	100
Rajagopal, K.V.	...	56
Rajyalakshmi, T.	...	101
Ramachandran, V.S.	...	93
Ramamirthan, C.P.	...	102
Ramamurty, S.	...	97
Raman, K.	...	103
Ramaraju, T.S.	...	101 & 104
Rama Sarma, D.V.	...	105
Ranganathan, V.	...	57
Rao, A.V.P.	...	106
Rao, D.R.	...	101
Rao, K.S.	...	107
Rao, K.V.	...	109 & 116
Rao, K.V.S.	...	108
Rao, N.G.S.	...	56 & 116
Rao, P.L.N.	...	116
Rao, T.A.	...	110
Rao, V.R.	...	111
Rao, V.V.	...	112
Ravindranath Menon, N.	...	113
Samuel, C.T.	...	60
Satyanarayana Rao, T.S.	...	53
Saxena, R.K.	...	116
Sekharan, K.V.	...	114 & 115
Sen, P.R.	...	76
Sharma, H.S.	...	112
Sharma, S.	...	98
Shetty, H.P.C.	...	116
Shirgur, G.A.	...	117
Sivadas, T.K.	...	118
Srivastava, K.P.	...	116
Subrahmanyam, M.	...	119
Tampi, P.R.S.	...	120
Tranter, D.J.	...	54
Vasantha, M.	...	83
Vedavyasa Rao, P.	...	81
Venugopal, P.	...	113



III. Subject Index

( Subject headings with their sub-headings are listed alphabetically. Reference is given to the serial number of the entry.)

BEHAVIOUR : <u>Breeding</u>	....	66 & 111
<u>Feeding</u>	....	67 & 70
BENTHOS : <u>General</u>	....	74
<u>Zoobenthos</u>	....	91
BIOCHEMISTRY	....	55 & 110
DISTRIBUTION : <u>Fish</u>	....	77
EXPERIMENTAL & EXPLOITORY		
FISHING	....	93, 97 & 109
FISH CULTURE	....	103 & 117
FISH EGGS, LARVAE & JUVENILES		
<u>Embryology &amp; Development</u>	....	46, 49, 50, 70, 72, 76 & 96
FISH MORTALITY	....	108
FISH PATHOLOGY	....	57, 88 & 100
FISH SEED	....	56
FISH TECHNOLOGY	....	83
FISHERIES BIOLOGY & POPULATION DYNAMICS	....	45, 48, 51, 52, 58, 61, 62, 68, 69, 75, 78, 107, 114, 115 & 120
FISHERIES MANAGEMENT		
<u>Extension &amp; development</u>	....	95
FISHERIES STATISTICS	....	44 & 60
FISHING CRAFTS & FISHING AIDS: <u>Fishing aids</u>	....	118
FISHING & FISH PROCESSING		
INDUSTRIES	....	63 & 79
FISHING METHODS & FEAR		
<u>Nets and net fishing</u>	....	85 & 104
FROG FARMING	....	71



GENERAL REPORTS	....	42, 43, 60, 64 & 116
HYDROGRAPHY, METEOROLOGY & GENERAL ECOLOGY: <u>Inland waters</u> ..		105
<u>Marine waters</u> ..		41 & 102
MORPHOLOGY, ANATOMY & HISTOLOGY	....	
<u>Fish</u>	....	66, 98, 99 & 112
PLANKTON		
<u>General</u>	....	84
<u>Phytoplankton</u>	....	73
<u>Zooplankton</u>	....	53, 54, 89, 90, 94 & 113
POND FERTILIZATION & SOIL CHEMISTRY	....	47
SHELL FISH FISHERIES		
<u>Crustacea</u>	....	60, 65, 81, 86, 101, 103, 106 & 119
SYSTEMATICS		
<u>Crustaceans</u>	....	87
<u>Fishes</u>	....	59 & 99
TAGGING & MAKING	....	80
WATER POLLUTION	....	82
WEEDS & WEED CONTROL	....	92

## IV TAXONOMIC INDEX

(Based on the taxonomic terms of the Fishes, frogs, Prawns & Crabs occurring in the title and also in the body of the paper. The names of other groups appear as per their taxonomic status in the Animal Kingdom. Names of the authorities have been omitted from taxonomic terms.).

<u>Acetes cochinensis</u>	...	81
<u>A. erythraeus</u>	...	81
<u>A. indicus</u>	...	50, 62 & 81
<u>A. japonicus</u>	...	81
<u>Ailia coilia</u>	...	62 & 99
<u>Alpheus malabaricus</u>	...	81
<u>A. palaudicola</u>	...	81
<u>A. rapax</u>	...	81
<u>Ambassis baculis</u>	...	62
<u>A. nama</u>	...	62 & 99
<u>A. ranga</u>	...	62
<u>Ambassis spp.</u>	...	50 & 72
<u>Amphipharyngodon mola</u>	...	62 & 99
<u>Amphipnous cuchia</u>	...	62
<u>Anabantidae</u>	...	99
<u>Anabas testudineus</u>	...	99
<u>Anchoviella commersoni</u>	...	62
<u>A. indica</u>	...	62
<u>Anchoviella sp.</u>	...	50 & 72
<u>A. tri</u>	...	62
<u>Angraulis kammalensis</u>	...	50
<u>Anquilla bengalensis</u>	...	62
<u>Anodontostoma Chacunda</u>	...	49 & 64
<u>Aplocheilus panchax</u>	...	62
<u>Apocryptes bato</u>	...	62
<u>Aspidoparia morar</u>	...	99
<u>Badis badis</u>	...	50
<u>Baqarins baqarins</u>	...	99
<u>Bagridae</u>	...	99
<u>Barilius barna</u>	...	99
<u>B. bendelisis</u>	...	99
<u>B. bola</u>	...	99
<u>B. vagra</u>	...	99
<u>Boleophthalmus boddaerti</u>	...	62

<u>Beloniformes</u>	...	99
<u>Bothus</u> <u>hepeinosoma</u>	...	72
<u>Botia</u> <u>birdi</u>	...	78
<u>B.</u> <u>dayi</u>	...	99
<u>Brachiurus</u> <u>orientalis</u>	...	72
<u>B.</u> <u>pan</u>	...	62
<u>Brachygobius</u> <u>nunsus</u>	...	62
<u>Caranax</u> <u>caranqus</u>	...	62
<u>C.</u> <u>kalla</u>	...	67, 68, 69 & 97
<u>C.</u> <u>Sexfasciatus</u>	...	97
<u>Caranax</u> <u>sp.</u>	...	72
<u>Carassins</u> <u>carassins</u>	...	99
<u>Catla</u> <u>catla</u>	...	47, 62, 75, 76, 99 & 116
<u>Chagunius</u> <u>chagunis</u>	...	99
<u>Chamda</u> <u>bacilos</u>	...	99
<u>Channa</u> <u>qachua</u>	...	62 & 99
<u>Channiformes</u>	...	99
<u>Chanos</u> <u>chanos</u>	...	72 & 96
<u>Chela</u> <u>labuca</u>	...	99
<u>Chela</u> <u>sp.</u>	...	72
<u>Chirocentrus</u> <u>dorab</u>	...	62
<u>Cirrhinus</u> <u>cirrhusa</u>	...	56 & 99
<u>C.</u> <u>mriqala</u>	...	47, 62, 70, 75 76, 99 & 116
<u>C.</u> <u>reba</u>	...	62 & 99
<u>Clarias</u> <u>batrachus</u>	...	99
<u>Clariidae</u>	...	99
<u>Clupeidae</u>	...	99
<u>Clupeiformes</u>	...	99
<u>Clupleoma</u> <u>antherinoides</u>	...	62
<u>Clupisoma</u> <u>garua</u>	...	88 & 99
<u>Cobitidae</u>	...	99
<u>Coiia</u> <u>borneensis</u>	...	62
<u>C.</u> <u>dussumieri</u>	...	62
<u>C.</u> <u>ramcarati</u>	...	62
<u>C.</u> <u>reynaldi</u>	...	62
<u>Corica</u> <u>sobrua</u>	...	62
<u>Crossocheliu</u> <u>latius</u> <u>latius</u>	...	99
<u>Ctenops</u> <u>nobilis</u>	...	99
<u>Cynoglossus</u> <u>cynoglossus</u>	...	62
<u>C.</u> <u>lingua</u>	...	62
<u>Cynoglossus</u> <u>sp.</u>	...	72



<u>Cypriniformes</u>	....	99
<u>Cyprinus carpio</u>	....	76 & 99
<u>Cyprinus sophora</u>	....	99
<u>Danio aequipinnatus</u>	....	112
<u>D. devario</u>	....	99 & 112
<u>D. regina</u>	....	112
<u>D. rerio</u>	....	112
<u>Discognathus lanta</u>	....	99
<u>Elasmobranchs</u>	....	109
<u>Eleotris fusca</u>	....	62
<u>Eleutheronema tetradactylum</u>	....	62, 72 & 97
<u>Elops saurus</u>	....	72
<u>Epinephelus spp.</u>	....	72
<u>Esomus danrica</u>	....	62 & 99
<u>Etroplus suratensis</u>	....	72
<u>Eutropiichthys vacha</u>	....	32, 38 & 99
<u>Gadusia chapra</u>	....	62 & 99
<u>Gagata penia</u>	....	62
<u>Gerres oyena</u>	....	62
<u>Selifer</u>	....	97
<u>Gerres sp.</u>	....	72
<u>Glossogobius elegans</u>	....	62
<u>G. giuris</u>	....	62 & 99
<u>Glyptothorax botia</u>	....	99
<u>Gobiopterus chuno</u>	....	62
<u>Goboides rubicundus</u>	....	62
<u>Gobiidae</u>	....	72 & 99
<u>Gonialosa nanmina</u>	....	62
<u>Grammolites scaber</u>	....	97
<u>Harpodon nehereus</u>	....	62
<u>Hemiramphus bimaculatus</u>	....	62 & 72
<u>Heteronemus fossilis</u>	....	51, 62 & 99
<u>Hilsa ilisha</u>	....	32, 72 & 99
<u>H. kelee</u>	....	72
<u>H. toli</u>	....	62
<u>Hippocampus brachyrhynchus</u>	....	72
<u>Ilisha elongata</u>	....	62
<u>I. indica</u>	....	62
<u>I. motius</u>	....	62
<u>Johnius belangeri</u>	....	110
<u>J. carutta</u>	....	62
<u>J. osseus</u>	....	62
<u>J. sina</u>	....	72
<u>Kowala coval</u>	....	59
<u>K. thoracata</u>	....	62
<u>Kurtus sp.</u>	....	

<u>Labeo bata</u>	.....	62 & 99
<u>L. boga</u>	.....	99
<u>L. bogrut</u>	.....	99
<u>L. calbasu</u>	.....	62, 99 & 116
<u>L. dussumieri</u>	.....	99
<u>L. dyocaeilus</u>	.....	99
<u>L. fimbriatus</u>	.....	56, 99 & 104
<u>L. gonius</u>	.....	99
<u>L. kontius</u>	.....	56
<u>L. pangusia</u>	.....	99
<u>L. porcellus</u>	.....	56
<u>L. rohita</u>	.....	55, 62, 70, 75
		76, 99 & 116
<u>Lacterius lacterius</u>	.....	61, 97 & 109
<u>Lates calcarifer</u>	.....	62
<u>Leiognathus berbis</u>	.....	64
<u>L. lindus</u>	.....	97
<u>L. brevirostris</u>	.....	64
<u>L. dussumieri</u>	.....	64
<u>L. insidiator</u>	.....	97
<u>L. lineolatus</u>	.....	64
<u>L. ruconius</u>	.....	97
<u>L. splendens</u>	.....	64 & 97
<u>Leiognathus sp.</u>	.....	72
<u>Lepidocephalichthyes guntea</u>	.....	99
<u>Lissocheilus hexagonolepis</u>	.....	56
<u>Lutianus argentimaculatus</u>	.....	62
<u>L. johnii</u>	.....	62
<u>Lutianus sp.</u>	.....	72
<u>Macrobrachium australe</u>	.....	62
<u>M. dayanum</u>	.....	62
<u>M. equidens</u>	.....	81
<u>M. idella</u>	.....	81
<u>M. kenpi</u>	.....	62
<u>M. lamarrei</u>	.....	62
<u>M. malcolmsoni</u>	.....	62 & 101
<u>M. rosenbergii</u>	.....	62 & 81
<u>M. rude</u>	.....	62 & 81
<u>M. scabriculum</u>	.....	62 & 81
<u>M. villosimanus</u>	.....	62
<u>Macrogathus aculeatus</u>	.....	99
<u>Mastocembeliformes</u>	.....	99
<u>Mastacembelus armatus</u>	.....	72 & 99
<u>M. pancalus</u>	.....	99

<u>Megalops cyprinoides</u>	.....	72
<u>Metapenaeus affinis</u>	.....	50, 62, 81 & 97
<u>M. brevicornis</u>	.....	62
<u>M. burkenroadi</u>	.....	81
<u>M. dobsoni</u>	.....	81, 97 & 103
<u>M. hilarulus</u>	.....	86
<u>M. lysianassa</u>	.....	62
<u>M. megiensis</u>	.....	86
<u>M. monoceros</u>	.....	62, 81, 97, 103 & 119
<u>Monotretus cutculia</u>	.....	62
<u>Mugil cunnesius</u>	.....	62
<u>M. parsia</u>	.....	50 & 62
<u>M. tade</u>	.....	62
<u>Mystus aer</u>	.....	57, 62 & 99
<u>M. blekeri</u>	.....	99
<u>M. cavacius</u>	.....	99
<u>M. gulio</u>	.....	50, 62 & 72
<u>M. seenghala</u>	.....	62, 83 & 99
<u>M. vittatus</u>	.....	52, 62, 88 & 99
<u>Nandus nandus</u>	.....	62 & 99
<u>Nangra pemetata</u>	.....	99
<u>Nematalosa nasus</u>	.....	72
<u>Nemipterus japonicus</u>	.....	61 & 97
<u>Nemipterus<sup>u</sup> sp.</u>	.....	109
<u>Noemachilus botia</u>	.....	99
<u>Notopteridae</u>	.....	99
<u>Notopterus chitala</u>	.....	62 & 99
<u>N. notopterus</u>	.....	62 & 99
<u>Ompok<sup>*</sup> bimaculatus</u>	.....	57, 62, 98 & 99
<u>Ophisthopterus tardeoore</u>	.....	62
<u>Osteoprama cotio</u>	.....	62 & 99
<u>Osteobrama vigorsii</u>	.....	99
<u>Osteogeneiosus militaris</u>	.....	62
<u>Otolithus argenteus</u>	.....	61 & 97
<u>O. ruber</u>	.....	97
<u>Oxygaster bacaila</u>	.....	62 & 99
<u>O. clupeoides</u>	.....	99
<u>O. gora</u>	.....	99



<u>Pataemon styliferus</u>	.....	61
<u>Pama pama</u>	.....	62
<u>Pampas argenteus</u>	.....	97
<u>P. chinensis</u>	.....	97
<u>Panchax spp</u>	.....	72
<u>Panulirus homarus</u>	.....	80
<u>Parapenaeopsis stylifera</u>	.....	50 & 97
<u>Parastromateus niger</u>	.....	97
<u>Pellona ditchela</u>	.....	62 & 64
<u>Penaeus canaliculatus</u>	.....	81
<u>P. indicus</u>	.....	81, 97, 103 & 106
<u>P. japonicus</u>	.....	81
<u>P. latisulcatus</u>	.....	81
<u>P. monodon</u>	.....	81, 106 & 119
<u>P. semisulcatus</u>	.....	81
<u>Perciformes</u>	.....	99
<u>Petroscrtes bhattacharyae</u>	.....	72
<u>Pirodonophis boro</u>	.....	62
<u>Platycephalus indicus</u>	.....	72
<u>P. maculipinna</u>	.....	61
<u>Plotosus canius</u>	.....	62 & 72
<u>Polydactylus indicus</u>	.....	62
<u>Polynemus heptadactylus</u>	.....	66
<u>P. indicus</u>	.....	50
<u>P. paradiseus</u>	.....	50 & 62
<u>Pomadasya hasta</u>	.....	62
<u>Pristipoma sp.</u>	.....	72
<u>Pseudopocryptes lanceolatus</u>	.....	62
<u>Pseudorhombus arsius</u>	.....	72
<u>Pseudosciaena aneus</u>	.....	110
<u>P. coibor</u>	.....	62 & 72
<u>P. diacanthus</u>	.....	107 & 108
<u>P. sina</u>	.....	61
<u>P. soldado</u>	.....	62
<u>Puntius amphibia</u>	.....	99
<u>P. carnaticus</u>	.....	56
<u>P. conchoniis</u>	.....	62 & 99
<u>P. gelius</u>	.....	62
<u>P. jerdoni</u>	.....	56
<u>P. pulcher</u>	.....	56
<u>P. sarana</u>	.....	62 & 99
<u>P. sepioides</u>	.....	62 & 88
<u>P. ticto</u>	.....	62 & 72

<u>Raconda russeliana</u>	....	62
<u>Rana hexadactyla</u>	....	71
<u>Rasbora daniconius</u>	....	62
<u>Rasbora rasbora</u>	....	99
<u>Rastrelliger kanagurta</u>	....	46, 83 & 111
<u>Rhinomugil corsula</u>	....	62, 72 & 99
<u>Rita rita</u>	....	62 & 99
<u>Samaris macrolepis</u>	....	72
<u>Sardinella albella</u>	....	114 & 115
<u>S. gibboca</u>	....	114 & 115
<u>S. fimbriata</u>	....	48 & 97
<u>S. longiceps</u>	....	45, 58, 83 & 97
<u>Saurida tumbil</u>	....	61 & 97
<u>Scatophagus argus</u>	....	62 & 72
<u>Schizothorax niger</u>	....	78
<u>Sciaena albida</u>	....	62
<u>S. glauca</u>	....	62
<u>S. sinuata</u>	....	62
<u>S. vogleri</u>	....	62
<u>Sciaena sp.</u>	....	72
<u>Scoliodon palasorrah</u>	....	97
<u>S. sorrakowah</u>	....	97
<u>Scylla serrata</u>	....	65
<u>Setipinna phasa</u>	....	62
<u>S. taty</u>	....	62
<u>Sicepnia lancifer</u>	....	86
<u>Sillago panijus</u>	....	62
<u>S. sihama</u>	....	62 & 72
<u>Silonia silondia</u>	....	62 & 99
<u>Solenocera indica</u>	....	87
<u>Solenocera melantho</u>	....	86
<u>S. pectinata</u>	....	86
<u>Sphyraena raghava</u>	....	72
<u>Sphyraena sp.</u>	....	109
<u>Strongylura strongylura</u>	....	72
<u>Tachysarus gagora</u>	....	62
<u>Tachysurus jella</u>	....	62 & 97
<u>T. nenga</u>	....	62
<u>T. sona</u>	....	62
<u>Tetrodon sp.</u>	....	72
<u>Therapon jarbua</u>	....	62 & 97
<u>Therapon spp.</u>	....	72

<u>Thrissocles hamiltoni</u>	.....	62 & 64
<u>T. malabericus</u>	.....	97
<u>T. mystax</u>	.....	97
<u>T. purava</u>	.....	62
<u>T. setirostris</u>	.....	97
<u>Thrissocles spp.</u>	.....	72
<u>Tilapia mossambica</u>	.....	99 & 103
<u>Tor khudree</u>	.....	99
<u>T. putitor</u>	.....	99
<u>T. tor</u>	.....	99
<u>Trachypenaeus granulosus</u>	.....	86
<u>T. seoili</u>	.....	86
<u>Triacanthus brevirostris</u>	.....	72
<u>Trichiurus lepturus</u>	.....	61 & 120
<u>Trichogaster chya</u>	.....	99
<u>T. fasciatus</u>	.....	99
<u>Ulna mandibularis</u>	.....	77
<u>W. attu</u>	.....	57, 88 & 99
<u>Xenentodon cancila</u>	.....	99 & 62



# SERIAL INDEX

(Serials are abbreviated according to FAO's World list of Periodicals for Aquatic Sciences and Fisheries "and Insdoc's" Directory of Indian Scientific Periodicals, 1968". Reference is given to the serial number of the entry.)

<u>Bull. Cent. Int. Fish. Res.</u> <u>Inst. Barrackpore</u> 1971 (15)	....	116
<u>Curr. Sci.</u> , 1972, <u>41</u> (6)	....	112
<u>Indian J. Fish.</u> 1967, <u>14</u> (1&2)	....	45,46,47,48, 49,55,56,57, 66,67,70,72, 75,78,84,97, 106,110,111, & 117
-----1968, <u>15</u> ( 1 & 2 )	.... ....	41,51,58,61, 68,69,76,77, 80,86,94,101, 102,103,107, 108,109,114, 115 & 120
<u>J. Bombay Nat. Hist. Soc.</u> 1971, <u>68</u> (3)	....	52
<u>J. mar. biol. Ass. India</u> , 1971, <u>13</u> ( 1&2)	....	50,54,59,62, 64,65,73,74, 81,82,87,89, 90,91,96,105, 113 & 119
<u>Proc. Indian Acad. Sci.</u> (B)1971, <u>74</u> (6)	....	104
----- 1972, <u>75</u> (1)	....	53 & 92
<u>75</u> (4)	....	71
<u>Sci. &amp; Cult</u> , 1972, <u>38</u> (1)	....	98
<u>Sci. Repr.</u> , 1971 <u>8</u> (6)	....	100
<u>Seafd. Export J.</u> , 1972, <u>4</u> (2)	....	42,44,60,88 & 118
<u>4</u> (3)	....	43,63,79,83, 85,93 & 95
<u>Section of Ichthyology and Fisheries</u> <u>Dept of Zoology, Seifia College,</u> <u>Bhopal</u>	....	99







